


SPEEDPANEL®

# SYSTEM COMPONENTS



Edition


1

4th Release




Visited us  
online  
lately?

Our systems can save time and money on site, and now our new website will simplify the design and specification too!  
[www.speedpanel.com.au](http://www.speedpanel.com.au)



#### CAD TOOLS

AutoCAD, PDF, SketchUp and Autodesk Revit wall models and construction details



#### PRODUCT LISTINGS

Detailed information for our available panels, accessories and colour options.



#### RESOURCE LIBRARY

Access to installation guides, acoustic systems, fire certification and more!

#### SPEEDPANEL® SYSTEM COMPONENTS

1st Edition, 4th Release | Published September 2022

421 Dorset Rd, Bayswater, VIC 3153 | +61 3 9115 6666

## CONTENTS

### SPEEDPANEL® 78MM

DESCRIPTION		*STOCK AVAILABILITY	ORDER UNIT	PAGE
SPEEDPANEL® 78mm	FRL -/120/120	S	m²	9

### SPEEDPANEL® 64MM

DESCRIPTION		*STOCK AVAILABILITY	ORDER UNIT	PAGE
SPEEDPANEL® 64mm	FRL -/90/90	MO	m²	10

### SPEEDPANEL® 51MM

DESCRIPTION		*STOCK AVAILABILITY	ORDER UNIT	PAGE
SPEEDPANEL® 51mm	FRL -/60/60	MO	m²	11

### SPEEDPANEL® 78MM - SPECIFIC COMPONENTS

DESCRIPTION		*STOCK AVAILABILITY	ORDER UNIT	PAGE
SPEEDPANEL® C-track 78mm 55/82/55 1.15mm BMT		S	LM	12
SPEEDPANEL® C-track 78mm 90/82/90 1.15mm BMT		LT	LM	13
SPEEDPANEL® C-track 78mm 106/82/106 1.15mm BMT		LT	LM	14
SPEEDPANEL® C-track 78mm 55/84/55 1.95mm BMT	Common applications: Box Risers, Supporting Loads & Lining	LT	LM	15
SPEEDPANEL® C-track 78mm 90/84/90 1.95mm BMT	Common applications: Box Risers, Supporting Loads & Lining	LT	LM	16
SPEEDPANEL® C-track 78mm 106/84/106 1.95mm BMT	Common applications: Box Risers, Supporting Loads & Lining	SP	LM	17
SPEEDPANEL® J-track 78mm 55/82/90 1.15mm BMT		S	LM	18
SPEEDPANEL® J-track 78mm 55/82/106 1.15mm BMT		LT	LM	19
SPEEDPANEL® J-track 78mm 55/84/90 1.95mm BMT	Common applications: Box Risers, Supporting Loads & Lining	LT	LM	20
SPEEDPANEL® J-track 78mm 55/84/106 1.95mm BMT	Common applications: Box Risers, Supporting Loads & Lining	SP	LM	21
SPEEDPANEL® J-track 78 GAL 55/82/90 1.15mm BMT Weep Hole (External wall applications)	Weep Holes	LT	LM	22
SPEEDPANEL® J-track 78 GAL 55/82/106 1.15 BMT Weep Hole (External wall applications)	Weep Holes	LT	LM	23
SPEEDPANEL® Flashing 78mm Z-Profile 0.7mm BMT		LT	LM	24
SPEEDPANEL® Flashing 78mm Horizontal Cover External Joint Full 0.55mm BMT		LT	LM	25
SPEEDPANEL® Flashing 78mm Horizontal Cover External Joint Half 0.55mm BMT		LT	LM	26

### SPEEDPANEL® 64MM - SPECIFIC COMPONENTS

DESCRIPTION		*STOCK AVAILABILITY	ORDER UNIT	PAGE
SPEEDPANEL® C-track 64mm 55/68/55 1.15mm BMT		S	LM	27
SPEEDPANEL® C-track 64mm 55/70/55 1.95mm BMT	Common applications: Box Risers, Supporting Loads & Lining	SP	LM	28

### SPEEDPANEL® 51MM - SPECIFIC COMPONENTS

DESCRIPTION		*STOCK AVAILABILITY	ORDER UNIT	PAGE
SPEEDPANEL® C-track 51mm 55/56/55 1.15mm BMT		S	LM	29
SPEEDPANEL® C-track 51mm 55/58/55 1.95mm BMT	Common applications: Box Risers, Supporting Loads & Lining	SP	LM	30

\*Note: Stock availability for standard galvanised finish only. \*Note: 2.5m, 2.85m, 3.0m, 3.3m, 3.6m, 4.0m, 4.2m, 4.5m 4.8m, 5.2m & 6.0m stock lengths. Subject to availability.

CONTENTS

SPEEDPANEL® STANDARD COMPONENTS

DESCRIPTION		*STOCK AVAILABILITY	ORDER UNIT	PAGE
SPEEDPANEL® Flashing Head Track - 0.7mm BMT		S	LM	31
SPEEDPANEL® Flashing Head Track Single Plasterboard 0.7mm BMT	To Suit 13mm or 16mm plasterboard	LT	LM	32
SPEEDPANEL® Flashing Head Track Double Plasterboard 0.7mm BMT	To Suit 2x 13mm or 16mm plasterboard	LT	LM	33
SPEEDPANEL® Back to Back C-track Flashing 0.7mm BMT	To suit back to back C-Track	S	LM	34
SPEEDPANEL® Triple Track Flashing 0.7mm BMT		LT	LM	35
SPEEDPANEL® Internal Corner Flashing - 90 Degree 75/75 0.7mm BMT		LT	LM	36
SPEEDPANEL® External Corner Flashing - 90 Degree 160/160 0.7mm BMT		LT	LM	37
SPEEDPANEL® External Corner Flashing - 90 Degree 200/200 0.7mm BMT	Box Riser applications	SP	LM	38
SPEEDPANEL® Internal Corner Flashing - Acute 160/160 1.15mm BMT		SP	LM	39
SPEEDPANEL® External Corner Flashing - Acute 160/160 1.15mm BMT		SP	LM	40
SPEEDPANEL® Internal Corner Flashing - Obtuse 160/160 1.15mm BMT		SP	LM	41
SPEEDPANEL® External Corner Flashing - Obtuse 160/160 1.15mm BMT		SP	LM	42
SPEEDPANEL® Flashing Cover Skin 0.4mm BMT		S	LM	43
SPEEDPANEL® Flashing Cover Plate 0.4mm BMT - 350mm Lengths - Butt joint cover	Sold in 350mm Lengths	S	EACH	44
SPEEDPANEL® Angle Equal 50x50x1.15mm BMT		S	LM	45
SPEEDPANEL® Angle Equal 75x75x1.15mm BMT		LT	LM	46
SPEEDPANEL® Structural Angle Equal 50x50x2.5mm BMT	Scissor Stair Gap 0-10mm	S	LM	47
SPEEDPANEL® Structural Angle Equal 50x50x4mm BMT	Scissor Stair Gap 10-20mm	S	LM	48
SPEEDPANEL® Structural Angle Equal 75x75x5mm BMT	Scissor Stair Gap 20-35mm	LT	LM	49
SPEEDPANEL® Structural Angle Unequal 150x50x5mm BMT	Scissor Stair Gap 35-95mm	LT	LM	50
SPEEDPANEL® Aluminium Bracket 70x40x50mm(wide) 1.5mm BMT		SP	EACH	51

FIXINGS

DESCRIPTION		STOCK AVAILABILITY	ORDER UNIT	PAGE
SDS Flat Top Screws 10-16 x 30mm		S	Box of 1000	49
SDS Flat Top Screws 10-16 x 16mm		S	Box of 1000	50
SDS Hex Head Screws 14-20 x 115mm		S	Box of 250	51
Mushroom Head Spikes M6.5 x 50mm		S	Box of 100	52
Hilti® Screw Anchor HUS3-P 6x40/5		S	Box of 100	56

COLOUR OPTIONS

SPEEDPANEL® COLOUR STEEL OPTIONS		57
----------------------------------	--	----

\*Note: Stock availability for standard galvanised finish only

MO

Made to order

S

Stock

LT

Limited stock

SP

Special

USING THIS GUIDE

This brochure is intended as a guide for selection of correct standard Speedpanel components only. It should be used and referred to in conjunction with the Speedpanel Price List, System Guides, Construction Details, Product Brochures, Assessments, Reports and other relevant supplementary documents. For more information please visit our website on [www.speedpanel.com.au](http://www.speedpanel.com.au).

COLOUR OPTIONS

COLOUR AVAILABILITY

A wide variety of colours are available for certain products within the Speedpanel range. These colours may come in the form of pre-painted steel, or alternatively powder-coated finishes to match pre-painted steel. Colour options may be subject to minimum order quantity requirements, up front deposits, additional fees and extended lead times, refer to page 55 for details or visit [www.speedpanel.com.au/colour](http://www.speedpanel.com.au/colour).

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		

Figure 1

UNDERSTANDING “CO” IN PRODUCT CODES

Throughout this guide and other Speedpanel literature, you may see the letters “CO” as part of a products code. “CO” in the Product Code is representative of the term “Colour Option”. The actual Product Code will incorporate the two letter Colour Key, selected from Colour Legend table above.

FACE FINISH OPTIONS (A), (B), (C)

For items with multiple faces, such as C-tracks and J-tracks (where each face can have a different finish), we designate each face using a letter (A), (B) & (C). This is explained in further detail in examples 1 and 2 below.

Example 1 (Figure 2):  
Head Track Flashing as shown in Figure 2, is available in either a standard galvanised finish or with face (A) supplied in coloured steel.

FHT

HE

FLASHING HEAD TRACK

FACE (A)

The Product Code for Head Track Flashing in Heritage Red on face (A) is FHTHE.

Example 2 (Figure 3):  
Certain Products with multiple faces can be supplied in multiple colours. J-track's refer to Figure 3, can be supplied with faces (A), (B) and (C) in different colours, as well as in the standard galvanised finish.

J78

HE

GA

OW

106

J-track 78mm

FACE (A)

FACE (B)

FACE (C)

Size of J-track long leg

The Product Code for J-track in Heritage Red on face (A), Galvanised on face (B) and Off White on face (C) is J78HEGAOW106.

“-R” MADE USING PRE-PAINTED COIL

Certain sundries can be manufactured using single colour pre-painted steel coils. These products are either roll formed or folded and as such the manufacturing processes do not enable multiple finish (colours) options for products with more than 1 face.

Sundries manufactured using pre-painted steel coils are identified with a “-R” in the product code and may be subject to limited colour options, upfront deposits, minimum order quantities and/or additional fees.

SPEEDPANEL® FLASHING HEAD TRACK



FIGURE 2

SPEEDPANEL® J-TRACK 106mm



FIGURE 3



# SELECTING PANEL

## STEP 1 IDENTIFY THE FRL (FIRE RESISTANCE LEVEL)

The **Fire Resistance Level (FRL)** is a grading period, represented by the time in minutes without any failures, for the following AS 1530 Part 4 fire test failure criteria: Structural Adequacy, Integrity and Insulation.

Refer to Figure 4 for Speedpanel FRL values per panel profile.

*Example:*  
A fire rated wall with a FRL of -/90/90 is required. The 64mm panel "P64" with a FRL -/90/90, or the 78mm panel "P78" with a FRL of -/120/120 (exceeds performance requirements) are suitable options.

P64			
Panel 64mm	FACE (A)	FACE (B)	Density Code

**IMPORTANT NOTE:** Speedpanel systems have been certified using specific panel thickness. Please ensure you select the correct panel type (78mm, 64mm, 51mm) specified in the certification(s) relevant to your application(s). Failure to do so may result in non-compliant systems.

For further information please contact us 03 9115 6666.

## STEP 2 IDENTIFY THE REQUIRED FINISH

Like other items in our range, panels can be supplied in various colour steel options for both panel faces (A) and (B), refer to Figure 4.

*Example continued:*  
The project requires "P64" 64mm panel supplied in colour steel, with face (A) in Off White and face (B) in Ebony. The code for this would be P64OWEB.

P64	OW	EB	
Panel 64mm	FACE (A)	FACE (B)	Density Code

**IMPORTANT NOTE:** Unless otherwise specified, panels will be supplied in a GA galvanised finish on both faces.

## STEP 3 IDENTIFY ACOUSTIC PERFORMANCE CRITERIA

Panel core density can be varied depending on the acoustic requirements of the application. In Speedpanel Product Codes, core density is represented by the letter "D", followed by a three digit number e.g. "D550" = 550kg/m³ density. Refer to Figure 5.

*Example continued:*  
Project acoustic consultant specifies a panel core density of 550 kg/m³.  
The completed Product Code would be P64OWEBD550. A 64mm panel in colour steel finish with one side Off White, and one side Ebony, with a core density of 550 kg/m³.

P64	OW	EB	D550
Panel 64mm	FACE (A)	FACE (B)	Density Code

**IMPORTANT NOTE:** Unless specific core densities are requested, all panels will be supplied at 435 kg/m³.

SPEEDPANEL® FRL	
"P78"	78mm
78	FRL -/120/120 Up to 6.0m spans
"P64"	64mm
64	FRL -/90/90 Up to 5.0m spans
"P51"	51mm
51	FRL -/60/60 Up to 5.0m spans

FIGURE 4

SPEEDPANEL® 78mm




FIGURE 4

SPEEDPANEL® DENSITY OPTIONS

CODE:	DENSITY:
435	435 kg/m³ density
550	550 kg/m³ density
650	650 kg/m³ density
750	750 kg/m³ density
850	850 kg/m³ density
950	950 kg/m³ density

FIGURE 5

# VARIABLE ANGLE FLASHINGS

## CUSTOM ANGLES IN CORNER FLASHINGS

Speedpanel systems incorporate both internal and external corner flashings with various angle options (Refer to Figure 6). These flashings are designed to be supplied with customisable bends to suit your specific application(s). Angle to be specified at time of order.

VARIABLE ANGLE CORNER FLASHING




FIGURE 6

# STOCK AVAILABILITY

## AVAILABILITY CODES

The availability of Speedpanel products vary. To help clients identify product availability, the below availability codes and definitions are used throughout this brochure. Please use stock availability as a guide only and always confirm availability prior to ordering.

- MO

**MADE TO ORDER**  
Product is manufactured as it is ordered. Production lead times are applicable and may vary depending on seasonal demand and manufacturing capacity.
- LT


**LIMITED STOCK ITEM**  
Product is not commonly used or ordered. Limited stock available.
- S

**STOCK ITEM**  
Product is commonly used or ordered and is kept in stock.
- SP


**SPECIAL**  
Product is a special order product and extended lead times are applicable.



THE INDUSTRY'S MOST  
TRUSTED,  
CERTIFIED &  
ADVANCED  
FIRE RATED AND ACOUSTIC SYSTEMS.







Density Options:

CODE:	DENSITY:
435	435 kg/m³ density
550	550 kg/m³ density
650	650 kg/m³ density
750	750 kg/m³ density
850	850 kg/m³ density
950	950 kg/m³ density


SPEEDPANEL® 64mm  
0.4mm BMT

Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
P64GAGAD435	64mm Panel GAL 435 kg/m³ density	MO	m²
P64GAGAD550	64mm Panel GAL 550 kg/m³ density	MO	m²
P64GAGAD650	64mm Panel GAL 650 kg/m³ density	MO	m²
P64GAGAD750	64mm Panel GAL 750 kg/m³ density	MO	m²
P64GAGAD850	64mm Panel GAL 850 kg/m³ density	MO	m²
P64GAGAD950	64mm Panel GAL 950 kg/m³ density	MO	m²

Colour Legend:

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	BI = Birch
GG = Gull Grey	MB = Mountain Blue	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	DU = Dusk
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	SC = Smooth Cream	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		



Density Options:

CODE:	DENSITY:
435	435 kg/m³ density
550	550 kg/m³ density
650	650 kg/m³ density
750	750 kg/m³ density
850	850 kg/m³ density
950	950 kg/m³ density

SPEEDPANEL® 51mm  
0.4mm BMT


Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
P51GAGAD435	51mm Panel GAL 435 kg/m³ density	MO	m²
P51GAGAD550	51mm Panel GAL 550 kg/m³ density	MO	m²
P51GAGAD650	51mm Panel GAL 650 kg/m³ density	MO	m²
P51GAGAD750	51mm Panel GAL 750 kg/m³ density	MO	m²
P51GAGAD850	51mm Panel GAL 850 kg/m³ density	MO	m²
P51GAGAD950	51mm Panel GAL 950 kg/m³ density	MO	m²

Colour Legend:

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	BI = Birch
GG = Gull Grey	MB = Mountain Blue	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	DU = Dusk
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	SC = Smooth Cream	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		





SPEEDPANEL® C-track  
55/82/55 1.15mm BMT



Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
C78GAGAGA55	C-track 78 GAL 55/82/55 1.15mm BMT	S	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
C78COGAGA55	One face colour steel	SP	LM
C78COCOGA55	Two face colour steel	SP	LM
C78COCOC055	Three face colour steel	SP	LM
C78COCOC055-R	Manufactured using pre-painted steel coil. Limited colours available and terms and conditions apply.	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		



SPEEDPANEL® C-track 78mm  
90/82/90 1.15mm BMT


Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
C78GAGAGA90	C-track 78mm 90/82/90 1.15mm BMT	LT	LM


Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
C78COGAGA90	One face colour steel	SP	LM
C78COCOGA90	Two face colour steel	SP	LM
C78COCOC090	Three face colour steel	SP	LM
C78COCOC090-R	Manufactured using pre-painted steel coil. Limited colours available and terms and conditions apply.	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		



78



SPEEDPANEL® C-track 78mm  
106/82/106 1.15mm BMT


Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
C78GAGAGA106	C-track 78mm 106/82/106 1.15mm BMT	LT	LM


Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
C78COGAGA106	One face colour steel	SP	LM
C78COCOGA106	Two face colour steel	SP	LM
C78COCOCO106	Three face colour steel	SP	LM
C78COCOCO106-R	Manufactured using pre-painted steel coil. Limited colours available and terms and conditions apply.	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		



78



SPEEDPANEL® C-track 78mm  
55/84/55 1.95mm BMT


Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
C78GAGAGA55-2	C-track 78mm 55/84/55 1.95mm BMT	LT	LM

Colour Options:


PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
C78COGAGA55-2	One face colour steel	SP	LM
C78COCOGA55-2	Two face colour steel	SP	LM
C78COCOCO55-2	Three face colour steel	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		





78



SPEEDPANEL® C-track 78mm  
90/84/90 1.95mm BMT


Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
C78GAGAGA90-2	C-track 78mm 90/84/90 1.95mm BMT	LT	LM


Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
C78COGAGA90-2	One face colour steel	SP	LM
C78COCOGA90-2	Two face colour steel	SP	LM
C78COCOCO90-2	Three face colour steel	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		



78



SPEEDPANEL® C-track 78mm  
106/84/106 1.95mm BMT


Galvanised Finish:


PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
C78GAGAGA106-2	C-track 78mm 106/84/106 1.95mm BMT	SP	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
C78COGAGA106-2	One face colour steel	SP	LM
C78COCOGA106-2	Two face colour steel	SP	LM
C78COCOCO106-2	Three face colour steel	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		





SPEEDPANEL® J-track 78mm  
55/82/90 1.15mm BMT


Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
J78GAGAGA90	J-track 78 GAL 55/82/90 1.15mm BMT	S	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
J78COGAGA90	One face colour steel	SP	LM
J78COCOGA90	Two face colour steel	SP	LM
J78COCOCO90	Three face colour steel	SP	LM
J78COCOCO90-R	Manufactured using pre-painted steel coil. Limited colours available and terms and conditions apply.	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		



SPEEDPANEL® J-track 78mm  
55/82/106 1.15mm BMT


Galvanised Finish:


PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
J78GAGAGA106	J-track 78 GAL 55/82/106 1.15mm BMT	LT	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
J78COGAGA106	One face colour steel	SP	LM
J78COCOGA106	Two face colour steel	SP	LM
J78COCOCO106	Three face colour steel	SP	LM
J78COCOCO106-R	Manufactured using pre-painted steel coil. Limited colours available and terms and conditions apply.	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		





SPEEDPANEL® J-track 78mm  
55/84/90 1.95mm BMT



Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
J78GAGAGA90-2	J-track 78 GAL 55/84/90 1.95mm BMT	S	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
J78COGAGA90-2	One face colour steel	SP	LM
J78COCOGA90-2	Two face colour steel	SP	LM
J78COCOCO90-2	Three face colour steel	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		



SPEEDPANEL® J-track 78mm  
55/84/106 1.95mm BMT


Galvanised Finish:


PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
J78GAGAGA106-2	J-track 78 GAL 55/84/106 J-track 1.95mm BMT	SP	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
J78COGAGA106-2	One face colour steel	SP	LM
J78COCOGA106-2	Two face colour steel	SP	LM
J78COCOCO106-2	Three face colour steel	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		





SPEEDPANEL® J-track 78mm  
55/82/90 1.15mm BMT (Weep Holes)


Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
J78GAGAGA90-WH	J-track 78 GAL 55/82/90 1.15mm BMT + Weep Hole	LT	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
J78COGAGA90-WH	One face colour steel	SP	LM
J78COCOGA90-WH	Two face colour steel	SP	LM
J78COCOC090-WH	Three face colour steel	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		



SPEEDPANEL® J-track 78mm  
55/82/106 1.15mm BMT (Weep Holes)


Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
J78GAGAGA106-WH	J-track 78 GAL 55/82/106 1.15mm BMT + Weep Hole	SP	LM


Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
J78COGAGA106-WH	One face colour steel	SP	LM
J78COCOGA106-WH	Two face colour steel	SP	LM
J78COCOC0106-WH	Three face colour steel	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		







SPEEDPANEL® Flashing 78mm Z-Profile  
0.7mm BMT


Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FZ78GA	Flashing 78mm Z-Profile 0.7mm BMT	LT	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FZ78CO	Two faces colour steel	SP	LM
FZ78CO-R	Manufactured using pre-painted steel coil. Limited colours available and terms and conditions apply.	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		



SPEEDPANEL® Flashing 78mm Cover External Joint Full  
0.55mm BMT (Horizontal External Application)

Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCEXJFGA	Flashing 78mm Cover External Joint Full 0.55mm BMT	LT	LM


Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCEXJFCO	One face colour steel	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		



78



## SPEEDPANEL® Flashing 78mm Cover External Joint Half

0.55mm BMT (Horizontal External Application)

Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCEXJHGA	Flashing 78mm Cover External Joint Half 0.55mm BMT	LT	LM


Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCEXJHCO	One face colour steel	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		



64



## SPEEDPANEL® C-track 64mm


55/68/55 1.15mm BMT

Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
C64GAGAGA55	C-track 64 GAL 55/68/55 1.15mm BMT	S	LM




64




SPEEDPANEL® C-track 64mm  
55/70/55 1.95mm BMT

Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
C64GAGAGA55-2	C-track 64 GAL 55/70/55 1.95mm BMT	S	LM




51




SPEEDPANEL® C-track 51mm  
55/56/55 1.15mm BMT

Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
C51GAGAGA55	C-track 51 GAL 55/56/55 1.15mm BMT	S	LM






## SPEEDPANEL® C-track 51mm

55/58/55 1.95mm BMT

### Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
C51GAGAGA55-2	C-track 51 GAL 55/58/55 1.95mm BMT	S	LM



## SPEEDPANEL® Flashing Head Track

0.7mm BMT

### Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FHTGA	Flashing Head Track 0.7mm BMT	S	LM


### Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FHTCO	One face colour steel	SP	LM
FHTCO-R	Manufactured using pre-painted steel coil. Limited colours available and terms and conditions apply.	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		







## SPEEDPANEL® Flashing Head Track Single Plasterboard

0.7mm BMT (To Suit 13mm or 16mm plasterboard)


Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FHTSPGA	Flashing Head Track Single Plasterboard 0.7mm BMT	LT	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FHTSPCO	One face colour steel	SP	LM
FHTSPCO-R	Manufactured using pre-painted steel coil. Limited colours available and terms and conditions apply.	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		



## SPEEDPANEL® Flashing Head Track Double Plasterboard

0.7mm BMT (To Suit 2 x 13mm or 16mm plasterboard)


Galvanised Finish:


PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FHTDPGA	Flashing Head Track Double Plasterboard 0.7mm BMT	LT	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FHTDPCO	One face colour steel	SP	LM
FHTDPCO-R	Manufactured using pre-painted steel coil. Limited colours available and terms and conditions apply.	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		





## SPEEDPANEL® Back to Back C-track Flashing

0.7mm BMT



Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCDCTGA	Back to Back C-track Flashing 0.7mm BMT	S	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCDCTCO	One face colour steel	SP	LM
FCDCTCO-R	Manufactured using pre-painted steel coil. Limited colours available and terms and conditions apply.	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		



## SPEEDPANEL® Triple Track Flashing

0.7mm BMT


Galvanised Finish:


PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCDCTGA300	Triple track Flashing 0.7mm BMT	LT	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCDCTCO300	One face colour steel	SP	LM
FCDCTCO300-R	Manufactured using pre-painted steel coil. Limited colours available and terms and conditions apply.	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		





SPEEDPANEL® Internal Corner Flashing  
90 Degree 0.7mm BMT


Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCINGA	Internal Corner Flashing - 90 Degree 75/75 0.7mm BMT	LT	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCINCO	One face colour steel	SP	LM
FCINCO-R	Manufactured using pre-painted steel coil. Limited colours available and terms and conditions apply.	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		



SPEEDPANEL® External Corner Flashing  
90 Degree 0.7mm BMT


Galvanised Finish:


PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCEXGA	External Corner Flashing - 90 Degree 160/160 0.7mm BMT	LT	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCEXCO	One face colour steel	SP	LM
FCEXCO-R	Manufactured using pre-painted steel coil. Limited colours available and terms and conditions apply.	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		





SPEEDPANEL® External Corner Flashing  
90 Degree 0.7mm BMT


Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCEXGA200	External Corner Flashing - 90 Degree 200/200 0.7mm BMT	SP	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCEXCO200	One face colour steel	SP	LM
FCEXCO200-R	Manufactured using pre-painted steel coil. Limited colours available and terms and conditions apply.	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		



SPEEDPANEL® Internal Corner Flashing  
Acute 1.15mm BMT


Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCINACGA	Internal Corner Flashing - Acute 160/160 1.15mm BMT	SP	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCINACCO	One face colour steel	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		







SPEEDPANEL® External Corner Flashing  
Acute 1.15mm BMT


Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCEXACGA	External Corner Flashing - Acute 160/160 1.15mm BMT	SP	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCEXACCO	One face colour steel	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		



SPEEDPANEL® Internal Corner Flashing  
Obtuse 1.15mm BMT

Galvanised Finish:


PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCINOBGA	Internal Corner Flashing - Obtuse 160/160 1.15mm BMT	SP	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCINOBCO	One face colour steel	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		





SPEEDPANEL® External Corner Flashing  
Obtuse 1.15mm BMT


Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCEXOBGA	External Corner Flashing - Obtuse 160/160 1.15mm BMT	SP	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
FCEXOBGO	One face colour steel	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		



SPEEDPANEL® Flashing Cover Skin  
0.4mm BMT

Galvanised Finish:


PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
CSGA	Flashing Cover Skin 0.4mm BMT	S	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
CSCO-R	Manufactured using pre-painted steel coil. Limited colours available and terms and conditions apply.	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		





SPEEDPANEL® Flashing Cover Plate  
0.4mm BMT 350mm Lengths

Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
CPGA	Flashing Cover Plate 0.4mm BMT - 350mm Lengths - Butt joint cover	S	EACH


Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
CPCO	One face colour steel	SP	EACH
CPCO-R	Manufactured using pre-painted steel coil. Limited colours available and terms and conditions apply.	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		



ELEVATION



SPEEDPANEL® Angle Equal  
50x50x1.15mm BMT

Galvanised Finish:


PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
AE50GA1.15	Angle Equal 50x50x1.15mm BMT	S	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
AE50CO1.15	One face colour steel	SP	LM
AE50CO1.15-R	Manufactured using pre-painted steel coil. Limited colours available and terms and conditions apply.	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		





SPEEDPANEL® Angle Equal  
75x75x1.15mm BMT


Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
AE75GA1.15	Angle Equal 75/75/1.15mm BMT	LT	LM

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
AE75CO1.15	One face colour steel	SP	LM
AE75GA1.15-R	Manufactured using pre-painted steel coil. Limited colours available and terms and conditions apply.	SP	LM

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		




SPEEDPANEL® Structural Angle Equal  
50x50x2.5mm BMT (Scissor Stair Gap 0-10mm)

Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
ASE50GA2.5	Structural Angle Equal 50x50x2.5mm BMT	S	LM








## SPEEDPANEL® Structural Angle Equal

50x50x4mm BMT (Scissor Stair Gap 10-20mm)

**Galvanised Finish:**

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
ASE50GA4.0	Structural Angle Equal 50x50x4mm BMT	S	LM




## SPEEDPANEL® Structural Angle Equal

75x75x5mm BMT (Scissor Stair Gap 20-35mm)

**Galvanised Finish:**

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
ASE75GA5.0	Structural Angle Equal 75x75x5mm BMT	LT	LM






SPEEDPANEL® Structural Angle Unequal  
150x50x5mm BMT (Scissor Stair Gap 35-85mm)

Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
AUE150GA5	Structural Angle Unequal 150x50x5mm BMT	LT	LM




SPEEDPANEL® Aluminium Bracket  
70x40x50mm 1.5mm BMT

Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
AB70AL1.5	Aluminium Bracket 70x40 50mm(wide) 1.5mm BMT	SP	EACH





SPEEDPANEL® SDS Flat Top Screws  
10-16 x 30mm



Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
SC30FTGA	SDS Flat Top Screws 10-16 x 30mm	S	1000

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
SC30FTCO	Colour steel head	SP	1000

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		



SPEEDPANEL® SDS Flat Top Screws  
10-16 x 16mm


Galvanised Finish:


PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
SC16FTGA	SDS Flat Top Screws 10-16 x 16mm	S	1000

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
SC16FTCO	Colour steel head	SP	1000

COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		





SPEEDPANEL® Hex Head Screws  
14-20 x 115mm



Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
SC115HH	SDS Hex Head Screws 14-20 x 115mm	S	250

Colour Options:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
SC115CO	Colour steel head	SP	250


COLOUR LEGEND:			
EB = Ebony	AG = Armour Grey	HE = Heritage Red	MB = Mountain Blue
GG = Gull Grey	BI = Birch	IG = Iron Grey	RI = River Gum
ME = Merino	BH = Blue Horizon	JA = Jasmin Brown	SC = Smooth Cream
OW = Off White	CG = Caulfield Green	MG = Mist Green	BA = Basalt
SL = Slate Grey	DU = Dusk	MO = Monolith	TE = Territory
ST = Stone	WH = Wheat		




SPEEDPANEL® Mushroom Head Spikes  
M6.5 x 50mm

Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
MFMS	Mushroom Head Spikes M6.5 x 50mm	S	100






Hilti® Screw Anchor HUS3-P  
6x40/5

Galvanised Finish:

PRODUCT CODE:	DESCRIPTION:	STOCK AVAILABILITY:	ORDER UNIT:
MFHA	Hilti® Screw Anchor HUS3-P 6x40/5	S	100




# COLOUR STEEL OPTIONS



A wide variety of colour options are available for products within the Speedpanel range. These colours may come in the form of pre-painted steel or alternatively powder coated finishes to match pre-painted steel. The colours referenced below have both the generic industry names, along with specific Colorbond® Proprietary brand names.

Should you wish Speedpanel to manufacture goods using a specific brand or supplier of steel, you must specify this in writing at the time of enquiry for quoting purposes. Colour options may incur minimum order quantity requirements, upfront deposit and additional fees.

## Common Speedpanel Colour Options



Ebony  
Night Sky™  
Code: EB



Gull Grey  
Shale Grey™  
Code: GG



Merino  
Paperbark™  
Code: ME



Off White  
Surf Mist®  
Code: OW



Slate Grey  
Woodland Grey™  
Code: SL

## Alternative colours



Armour Grey  
Windspray®  
Code: AG



Birch  
Dune®  
Code: BI



Blue Horizon  
Blue Ridge™  
Code: BH



Caulfield Green  
Cottage Green™  
Code: CG



Dusk  
Evening Haze®  
Code: DU



Heritage Red  
Manor Red™  
Code: HE



Iron Grey  
Ironstone™  
Code: IG



Jasmin Brown  
Jasper™  
Code: JA



Mist Green  
Pale Eucalypt™  
Code: MG



Monolith  
Monument®  
Code: MO



Mountain Blue  
Deep Ocean®  
Code: MB



Rivergum  
Wilderness®  
Code: RI



Smooth Cream  
Classic Cream™  
Code: SC



Basalt  
Basalt®  
Code: BA



Territory  
Terraine®  
Code: TE



Stone  
Code: ST



Wheat  
Code: WH

Note: Colours shown above are to be used as a guide only, and varying screens and printers will manipulate colours. For exact matching an official colour swatch should be used. Please contact us on 03 9115 6666 or email enquiries@speedpanel.com.au for further information.



## NOTES

1<sup>st</sup> Edition, 4<sup>th</sup> Release | Published September 2022

Speedpanel Systems Pty Ltd  
421 Dorset Road, Bayswater VIC 3153  
P: +61 3 9115 6666  
E: [enquiries@speedpanel.com.au](mailto:enquiries@speedpanel.com.au)  
W: [speedpanel.com.au](http://speedpanel.com.au)